

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L38	30	29 same 37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:46
L40	55	37 and 39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:05
L46	47	(predict\$4 with (future or relative) with (location or position)) with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:24
L58	37	56 and ((distance) with mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:41
L59	4	58 and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:44
L66	48	62 and 65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:56
L67	8	58 and 65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 09:56
S1	6913	determin\$4 with (location or position or coordinat\$4) with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:26
S2	1322	(measur\$3 or calculat\$4) with distance with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:27

S3	1433	(measur\$3 or calculat\$4 or estimat\$4) with distance with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:15
S4	227	S1 same S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:32
S5	7086	(measur\$3 or calculat\$4 or estimat\$4) with (distance or location or coordinat\$4 or position) with predict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:39
S6	20519	(measur\$3 or calculat\$4 or estimat\$4) with (distance or location or coordinat\$4 or position) with (factor\$3 or filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:35
S7	4896	(measur\$3 or calculat\$4 or estimat\$4) with (distance or location or coordinat\$4 or position) with (modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:36
S8	22837	(new\$3 or second or next) with ((measur\$3 or calculat\$4 or estimat\$4) adj3 (data or coordinat\$4 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:36
S9	21538	(old\$3 or previ\$4 or past or first) with ((measur\$3 or calculat\$4 or estimat\$4) adj3 (data or coordinat\$4 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:36
S10	12115	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:37
S11	10564	S8 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:38
S12	314	S6 same S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:38

S13	19	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:38
S14	0	S13 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:38
S15	0	S4 same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:39
S16	10	S4 same (S5 or S6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:39
S17	11	S4 same (S5 or S6 or S7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:39
S18	12	S4 same (S5 or S6 or S7 or S8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:39
S19	13	S4 same (S5 or S6 or S7 or S8 or S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:49
S20	1	position\$4 adj algorith\$4 adj2 (ad-hoc or (ad adj hoc)) adj (wireless) adj2 (netwrok or system or sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:53
S21	1	position\$4 adj algorith\$4 adj2 (ad-hoc or (ad adj hoc)) adj (wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:54
S22	132	savarese.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:55

S23	0	S22 and ad-hoc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 07:55
S24	0	S22 and (salt adj lake adj city)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:10
S25	31	(robert with J with Odea).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:11
S26	10713	(measur\$3 or calculat\$4 or estimat\$4 or determin\$4) with(distance or location or posit\$5) with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:19
S27	1	(ad-hoc or (ad adj hoc)) adj position\$3 adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:40
S28	0	(badri near niculescu).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:21
S29	6	(badri near nath).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:31
S30	1700	predict\$4 adj filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:32
S31	0	S4 same S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:32
S32	0	S4 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:32

S33	3396	predict\$4 near2 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:33
S34	0	S4 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:33
S35	4	S3 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:33
S36	1227	(ad-hoc or (ad adj hoc)) same (position\$3 or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:40
S37	391	equation\$1 same (mov\$3 or movement) same axis same speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:30
S38	0	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:42
S39	0	S3 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:42
S40	1	S1 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:42
S41	4062	equation\$1 same (mov\$3 or movement) same speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:45
S42	4	S41 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:51

S43	4	(robinson with david with peter).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:52
S44	9	(marshall with ian with william).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:55
S45	735	S3 same (three adje (reference or point or station or sensor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 08:57
S46	16	S36 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:13
S47	3721	filter near2 algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:14
S48	0	S47 with facto	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:14
S49	98	S47 with factor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:14
S50	0	S49 and (S1 or S3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:15
S51	0	S49 and (S36)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:14
S52	15	S47 and (S1 or S3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:15

S53	1	S47 and (S1 and S3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:15
S54	756	(455/424-425).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:26
S55	2545	(455/456.1-456.6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:26
S56	1454	(455/550.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S57	572	(370/332).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S58	1714	(370/338).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S59	3498	(370/401).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S60	831	(342/457).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S61	526	(342/450).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S62	1502	(701/200).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27

S63	646	(701/300).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 10:27
S64	1228	(ad-hoc or (ad adj hoc)) same (position\$3 or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:28
S65	4898	(measur\$3 or calculat\$4 or estimat\$4) with (distance or location or coordinat\$4 or position) with (modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:36
S66	1326	(measur\$3 or calculat\$4) with distance with ((mobile or wireless or portable) with (device or phone or telephone or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:36
S67	22840	(new\$3 or second or next) with ((measur\$3 or calculat\$4 or estimat\$4) adj3 (data or coordinat\$4 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:29
S68	21539	(old\$3 or previ\$4 or past or first) with ((measur\$3 or calculat\$4 or estimat\$4) adj3 (data or coordinat\$4 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:29
S69	22840	(new\$3 or second or next) with ((measur\$3 or calculat\$4 or estimat\$4) adj3 (data or coordinat\$4 or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:29
S70	2209	predict\$5 with (mov\$3 or movement or position or location or distance) with speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:34
S71	6	S64 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:33
S72	61	S70 same filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:33

S73	535744	(measur\$3 or calculat\$4 or estimat\$4) with (mov\$3 or movement or position or location or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:34
S74	640039	(generat\$3 or modif\$4) with (mov\$3 or movement or position or location or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:35
S75	57916	S73 same S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:35
S76	3661	S65 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:52
S77	16	old\$2 adj2 ((measur\$3 or calculat\$4 or estimat\$4) adj2 (distance or location or coordinat\$4 or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:38
S78	544	new\$2 adj2 ((measur\$3 or calculat\$4 or estimat\$4) adj2 (distance or location or coordinat\$4 or position))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:37
S79	1	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:37
S80	7	S72 and ((predict\$5 adj2 filter\$3) or (factor\$3 adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:56
S81	0	S72 and kfilter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:56
S82	18	S72 and (((predict\$5 or kalman) adj2 filter\$3) or (factor\$3 adj out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:56